

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	439	("1394") AND ((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:19
L2	12076	((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:19
L3	387	("1394") AND ((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (list structure tree) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:19
L4	6952	((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND (network) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:19
L5	117	((node device peripheral) NEAR2 (id number identification)) AND ((disconnect connect reset restart) near2 (node device peripheral computer pc workstation host terminal)) AND ("1394") NEAR4 (network)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:20
L6	134	((node device) NEAR2 (id number identification)) AND ((disconnect connect reset restart stop start) near2 (node device peripheral computer pc workstation host terminal)) AND ("1394") NEAR4 (network)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:20

EAST Search History

L7	167	((node device) NEAR2 (id number identification)) AND ((disconnect\$4 connect\$4 reset\$4 restart\$3 stop\$4 start\$3) near2 (node device peripheral computer pc workstation host terminal)) AND ("1394") NEAR4 (network)) AND (@ad<"19980731" @rlad<"19980731")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 16:20
----	-----	---	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	416419	(peripheral device) NEAR2 (switch\$3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:39
S2	19323	((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:41
S3	6227	((((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:48
S4	1120	((((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((bus USB "1394") WITH (arbitrate arbiter select switch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:55
S5	216	((((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((bus USB "1394") WITH (arbitrate arbiter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:56
S6	200	((((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((bus USB "1394") WITH (arbitrate arbiter)) AND (@ad<"20020920" @rlad<"20020920"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 18:58

EAST Search History

S7	2	"6477589".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:10
S8	1	"6477589".pn. AND (((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((bus USB "1394") WITH (arbitrate arbiter)) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:18
S9	3057	710/36,58,62,107.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:00
S10	2566	710/36,58,62,107.CCLS. AND ("1394" bus USB).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:00
S11	1412	710/36,58,62,107.CCLS. AND (("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:01
S12	616	710/36,58,62,107.CCLS. AND (("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:02
S13	60	710/36,58,62,107.CCLS. AND (("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND (((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:03

EAST Search History

S14	260	710/36,58,62,107.CCLS. AND (("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((peripheral device) NEAR2 (switch\$3 select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:04
S15	240	710/36,58,62,107.CCLS. AND (("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((peripheral device) NEAR2 (switch\$3 select\$3)) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 19:04
S16	200	(((peripheral device) NEAR2 (switch\$3 select\$3)) WITH (host computer workstation pc)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((bus USB "1394") WITH (arbitrate arbiter)) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 12:30
S17	240	710/36,58,62,107.CCLS. AND (("1394" bus USB) WITH (arbiter arbitrate select\$3 switch\$3)) AND (((acquir\$3 fetch\$3 get read\$3 input receive send) NEAR2 (information data)) WITH (device peripheral)) AND ((peripheral device) NEAR2 (switch\$3 select\$3)) AND (@ad<"20020920" @rlad<"20020920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 12:30
S18	222	S17 NOT S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 12:30